

FOCUS PRODUCTS

WINSPEED
ADVANCED TURNING



taegutec.com



Contents





Turning

WINTURN ————— 4

POSSTURN ————— 5

WINSWISS ————— 6

MULTITURN ————— 7

HUSHBORE ————— 8

RHINOMTURN ————— 9

Parting & Grooving

WINCUT ————— 10

WINGROOVE ————— 11

QUADRUSH ————— 12

VT-CLAMP ————— 13

Drilling

DRILLSPEED ————— 14

DRILLRUSH ————— 15

Milling

WIN4FEED ————— 16

WINMILL ————— 17

CHASE8MILL ————— 18

MAXITANG ————— 19

CHASE8SPEED ————— 20


CERAMICSPEED ————— 21

FINEBARREL ————— 22


MAXIRUSH ————— 23

A


Multi-Cutting Edge Bi-Directional Turning Insert



01 Positive Insert's Cutting Edge



02 Unique Rigid Captive Clamping




03 High-pressure Coolant Supply




POSSTURN

DOUBLE SIDED POSITIVE TURNING


Multidirectional and High Feed Turning Application



01 ZNMV Insert - 4 Corners




02 XNMV Insert - 4 Corners




WINSWISS

Quick Change Modular Head and Holder for Swiss Machines




A variety of modular heads


01 Easy Replacement



02 High-pressure Coolant (Top and Bottom)



03 Reduced Downtime



General holder **WIN-SWISS**




MULTI L TURN

SAFE TURNING


Anti-Rotating Clamping Insert




Unique and powerful
clamping design



01 High Stability and Tolerances



ISO



MULTI-L-TURN

02 Powerful Clamping Design



HUSHBORE

ANTI VIBRATION BAR

Vibration Free Boring Bar with
Exchangeable Heads


Ø16 - Ø60

7xD, 10xD

Ø80

7xD, 10xD

01 Vibration Free
Boring Bar



02 Various
Head Types




03 Square Holder
Available




RHINO^MTURN

MINI LINE

M *ini* Double-Sided Inserts for
Low Depth Turning Less than 2 mm




- 01 Small Diameter Boring
- 02 Economical Insert
- 03 Positive Insert's Cutting Edge
- 04 Miniature Industry




WINCUT

ADVANCED PARTING


Ultra Stability and High Productivity for Parting and Deep Grooving




01 Reinforced and Robust



02 Economical Blade



03 Extra Stability




04 High-pressure Coolant






WIN/GROOVE

Mini (Ø6 and Ø8 mm) Indexable Insert for Internal Shallow Grooving




- 01** For Miniature Industry
- 02** Unique Clamping Structure
- 03** Enough Space for Chip Evacuation
- 04** Internal Coolant




QUAD RUSH

PARTING & GROOVING


Extra **W**ide Form Grooving
with 4 Cutting Edges



10 mm





15 mm



20 mm

Blank


- 01** 4 Cutting Edges
- 02** For Specially Tailored Profiles
- 03** High-pressure Coolant
- 04** Secure and Unique Clamping Structure




VT-CLAMP

V TURN

Multifunctional V-Type Insert




01 All-directional Turning




02 Optimum Chip Breaker



03 Use Standard Holder



04 Multiple Applications





DRILL SPEED


INDEXABLE 3 FLUTE




*Effective Cutting Edges
Head-Changeable Drills*




01 High Productivity



02 Premium Hole Quality (P+)



03 Flat Bottom Hole (F)




04 Quick Change System



DRILL RUSH

RUSH 2 FLUTE

P+ Self-Centering Drill Heads for Premium Hole Machining




TCD-P+

WINDRILL




TCD-P

Ø4 - 5.9 mm



Ø4 - 25 mm

- 01 Premium Hole Quality (P+)
- 02 High Productivity
- 03 Reduced Set-up Time
- 04 Up to 12xD



P




Pilot hole

2 process drilling

P+




1 process drilling




WIN4FEED



Higher Ramping Angle with Secure Clamping for Improved Productivity




01 High Ramping Angle




02 "V" Shape Bottom Design



03 Various Applications




04 High Positive Rake Angle




WINMILL
ADVANCED MACHINING

90°

*Next Generation
Shoulder Mill with Strong Clamping
and V Shaped Bottom*




01 "V" Shape Bottom Design




02 High Ramping Angle



03 Super High Positive Rake Angle



04 Various Applications



CHASE8MILL


90° FACING & SHOULDERING

90°

Shoulder Milling with
Economical 8 Cutting Edge
Square Insert




- 01** Most Economical Shoulder Mill
- 02** High Positive Rake Angle
- 03** Minimal Mismatch on Multi-step Walls
- 04** High Productivity with More Teeth



MAXITANG



Quick Changeable Head for Multiple Machining




01 No set-up Time




02 High Productivity with More Teeth



03 Various Applications




04 Reinforced Cutting Edge





CHASE & SPEED

FACING & HIGH FEED

High Feed and Face Milling with Strong
Cutter Body for Improved Productivity



- 01** One Type Insert for 45° and 20°
- 02** Strong Body
- 03** Excellent Chip Evacuation
- 04** Reinforced Cutting Edge




Reinforced edge
optimized for high feed
machining

CERAMICSPEED

HARDPART & EXOTIC MATERIALS

H *SiAlON Ceramic Milling for* *High-Speed Machining of Super Alloys*




01 Ultra High-speed and High Feed




02 Strong Double-sided Insert



03 Rigid Clamping




04 Various Applications



FINEBARREL




**High Productivity in
Finishing Applications with Larger
Radius Insert**



NCFB

Ø8-Ø30





NFLB

Ø12-Ø30



01 Max. Pitch Distance 02 Two Types of Applications 03 Lens and Barrel Combination 04 Compatible Holders - FINE-BALL



MAXIRUSH

INDEXABLE SOLID HEADS



Quick Head-Changeable
Solid Carbide End Mills



01 High Productivity




02 Excellent Accuracy



03 Multiple Applications



04 Optimized Grade



TT5543 TT5523

FOCUS PRODUCTS

Tool CutZZ

Your Knowledge Machining Link!



Scan me!



ANDROID APP ON
Google play

Scan me!



Download on the
App Store